

	Hits	Search Text	DBs
1	374	((address logic\$4 digital) adj4 (space surface)) and pen and paper	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	100	((address logic\$4 digital) adj4 (space surface)) and pen and paper	US-PGPUB; EPO; JPO; DERWENT
3	34	((address logic\$4 digital) adj4 (space surface)) and (pen with paper)	US-PGPUB; EPO; JPO; DERWENT
4	3	((address logic\$4 digital) adj4 (space surface)) and (pen with paper)	EPO; JPO; DERWENT
5	93	((address logic\$4 digital) adj4 (space surface)) and (pen with paper)	USPAT
6	0	((address logic\$4 digital) adj4 (space surface)) and (pen with paper)) and (region near3 (information adj3 memory adj3 management))	USPAT
7	0	((address logic\$4 digital) adj4 (space surface)) and (pen with paper)) and (region near3 (information adj3 management))	USPAT
8	0	((address logic\$4 digital) adj4 (space surface)) and pen and paper) and (region near3 (information adj3 memory adj3 management))	USPAT
9	18	((address logic\$4 digital) adj4 (space surface)) and pen and paper) and (region near3 (message))	USPAT
10	17	((address logic\$4 digital) adj4 (space surface)) and (pen with paper)) and (region near3 (message))	USPAT
11	1	((address logic\$4 digital) adj4 (space surface)) and (pen with paper with message)	USPAT
12	20	((address logic\$4 digital) adj4 (space surface)) and (pen same paper same message)	USPAT
13	2	((address logic\$4 digital) adj4 (space surface)) and (pen same paper same (message adj3 (area region)))	USPAT
14	2	((address logic\$4 digital) with (space surface)) and (pen same paper same (message adj3 (area region)))	USPAT
15	2	((address logic\$4 digital) same (space surface)) and (pen same paper same (message adj3 (area region)))	USPAT
16	2	((address logic\$4 digital) and (space surface)) and (pen same paper same (message adj3 (area region)))	USPAT

	Hits	Search Text	DBs
17	2	((address logic\$4 digital)) and (pen same paper same (message adj3 (area region)))	USPAT
18	2	((address logic\$4 digital) same (space surface)) and (pen same paper same (message near6 (area region)))	USPAT
19	5	(pen same paper same (message near6 (area region)))	USPAT
20	86	(pen same paper and (message near6 (area region)))	USPAT
21	185	(PDA and (message near6 (area region)))	USPAT
22	6	PDA and (pen same paper and (message near6 (area region)))	USPAT
23	4	PDA and (pen same paper and (command near6 (area region)))	USPAT
24	7	PDA and (pen same paper and (command with (area region)))	USPAT
25	0	((address logic\$4 digital) adj4 (space surface)) with (pen with paper)	USPAT
26	3	((address logic\$4 digital) adj4 (space surface)) with (pen with paper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	19	((address logic\$4 digital) adj4 (space surface)) same (pen with paper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	808	(set adj2 position) with (position adj3 (code pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	0	(total adj3 set adj2 position) with (position adj3 (code pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	0	(set adj2 position) with (position adj3 (code pattern)) with (pen with paper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	0	(set adj2 position) same (position adj3 (code pattern)) same (pen with paper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	57	((address logic\$4 digital) adj4 (space surface)) same (position adj3 (code pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	0	((address logic\$4 digital) adj4 (space surface)) same (position adj3 (code pattern)) and papr and pen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	11	((address logic\$4 digital) adj4 (space surface)) same (position adj3 (code pattern)) and paper and pen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	9	((address logic\$4 digital) adj4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	2	((((address logic\$4 digital) adj4 (space surface)) same (position adj3 (code pattern)) and paper and pen) not (((address logic\$4 digital) adj4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	18	((address logic\$4 digital) near4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	9	((((address logic\$4 digital) near4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)) not (((address logic\$4 digital) adj4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	40	((address logic\$4 digital imag\$5) near4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	30	((address logic\$4 digital imaginary) near4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	18	((imaginary) near4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	22	((((address logic\$4 digital imag\$5) near4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)) not (((address logic\$4 digital) near4 (space surface)) same (position adj3 (code pattern)) and (paper with pen)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	160	(382/306).CCLS.	USPAT
44	1153	(382/232).CCLS.	USPAT
45	292	(382/243).CCLS.	USPAT
46	25	total adj3 set adj2 position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
47	0	((382/306).CCLS.) and ((382/232).CCLS.) and ((382/243).CCLS.) and total adj3 set adj2 position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	0	((382/306).CCLS.) ((382/232).CCLS.) ((382/243).CCLS.) and total adj3 set adj2 position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	0	((382/306).CCLS.) ((382/232).CCLS.) ((382/243).CCLS.) and (total near5 set near5 position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	0	((address logic\$4 digital imaginary) near4 (space surface)) same (position adj3 (code pattern)) and (paper with pen) and ((382/306).CCLS.) ((382/232).CCLS.) ((382/243).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	3	((address logic\$4 digital imaginary) ) same (position adj3 (code pattern)) and (paper with pen) and (((382/306).CCLS.) ((382/232).CCLS.) ((382/243).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	42	((382/306).CCLS.) ((382/232).CCLS.) ((382/243).CCLS.) and (address adj space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	1	((382/306).CCLS.) ((382/232).CCLS.) ((382/243).CCLS.) and ( total adj4 address adj space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	46	((382/306).CCLS.) ((382/232).CCLS.) ((382/243).CCLS.) and (address adj4 space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	259	pen and paper and (address adj4 space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	72	(pen with paper) and (address adj4 space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	1	(pen with paper) and (( multidimensianal total) adj5 address adj4 space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	2	pen and paper and (( multidimensianal total) adj5 address adj4 space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	2	pen and paper and (( multidimensianal total) adj5 address adj4 (area space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
60	2	pen and paper and (( multidimensonal total) adj5 address adj4 (area space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	11	pen and paper and (( multidimensional total) adj5 address adj4 (area space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	11	pen and paper and ((multidimensional total) adj5 address adj4 (area space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	11	pen and paper and ((multidimensional total) adj5 (address logic\$4 digital) adj4 (area space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	15	pen and paper and ((multidimensional total) adj5 (address logic\$4 digital set) adj4 (area space position))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB